

EAST Search History

EAST Search History (Prior Art)

Ref #	Hits	Search Query	DBs	Default Operator	Plurals	Time Stamp
L15	16	network (ID OR identifier OR identification OR indicator OR indication) WITH ITU	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	ADJ	ON	2011/04/12 19:14
L16	6	network (ID OR identifier OR identification OR indicator OR indication) WITH ITU SAME table	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	ADJ	ON	2011/04/12 19:14
L17	16	network (ID OR identifier OR identification OR indicator OR indication) WITH ITU	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	ADJ	ON	2011/04/12 19:15
L18	196	NI WITH ITU	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	ADJ	ON	2011/04/12 19:15

L19	0	network (ID OR identifier OR identification OR indicator OR indication) WITH NI WITH ITU	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	ADJ	ON	2011/04/12 19:15
L20	2	network (ID OR identifier OR identification OR indicator OR indication) WITH NI SAME ITU	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	ADJ	ON	2011/04/12 19:15
L21	0	IP network (ID OR identifier OR identification OR indicator OR indication) WITH ITU	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	ADJ	ON	2011/04/12 19:16
L22	0	IP WITH network (ID OR identifier OR identification OR indicator OR indication) WITH ITU	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	ADJ	ON	2011/04/12 19:16
L23	10	IP WITH network (ID OR identifier OR identification OR indicator OR indication) SAME ITU	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	ADJ	ON	2011/04/12 19:16
L25	5	network indicator WITH ITU	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	ADJ	ON	2011/04/12 19:19

L26	5	network indicator WITH ITU AND ip	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	ADJ	ON	2011/04/12 19:19
L27	5	network indicator WITH ITU AND ip AND table	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	ADJ	ON	2011/04/12 19:21
L28	5	network indicator SAME routing table AND ip	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	ADJ	ON	2011/04/12 19:23
L29	1	network indicator SAME routing table AND ip AND point code	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	ADJ	ON	2011/04/12 19:24
L35	253	M3UA WITH adaptation layer	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	ADJ	ON	2011/04/12 19:39
L36	1	process\$3 WITH m3ua WITH opc	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	ADJ	ON	2011/04/12 19:55

L37	9	m3ua WITH opc	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	ADJ	ON	2011/04/12 19:55
L38	15	m3ua SAME opc	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	ADJ	ON	2011/04/12 19:57
L39	951	SCP WITH integrat\$3	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	ADJ	ON	2011/04/12 20:02
L40	211	SCP WITH integrat\$3 WITH (SG OR gateway OR STP)	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	ADJ	ON	2011/04/12 20:03
L46	1	opc WITH mtp SAME m3ua	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	ADJ	ON	2011/04/12 20:16
L47	25	opc WITH mtp AND m3ua	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	ADJ	ON	2011/04/12 20:16

L48	34	m3ua WITH (point code OR opc)	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	ADJ	ON	2011/04/12 20:17
L49	267	pc WITH HLR	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	ADJ	ON	2011/04/12 20:19
L51	46	SCP WITH within NEAR2 (SG OR gateway OR STP)	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	ADJ	ON	2011/04/12 20:56
L52	18	HLR WITH within NEAR2 (SG OR gateway OR STP)	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	ADJ	ON	2011/04/12 20:59
L53	5	HLR WITH integrat\$3 (SG OR gateway OR STP)	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	ADJ	ON	2011/04/12 21:01
L54	93	HLR WITH integrat\$3 WITH (SG OR gateway OR STP)	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	ADJ	ON	2011/04/12 21:01

S1	36675	370/351-357,389,392,395.3,395.31,395.5,401,410.CCLS.	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	ADJ	ON	2011/04/07 15:41
S2	7	((ERIC) near2 (JULIEN)).INV.	US-PGPUB; USPAT; USOCR	ADJ	ON	2011/04/07 15:41
S3	11	network selection table	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	ADJ	ON	2011/04/07 15:43
S5	1	network selection table AND (NI OR network ID OR network identifier OR network identification)	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	ADJ	ON	2011/04/07 15:43
S6	59	table SAME DPC SAME (NI OR network ID OR network identifier OR network identification)	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	ADJ	ON	2011/04/07 15:44
S7	39	table SAME DPC SAME (NI OR network ID OR network identifier OR network identification) AND IP AND (PSTN OR SS7)	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	ADJ	ON	2011/04/07 15:44

S8	2	table SAME DPC SAME (NI OR network ID OR network identifier OR network identification) AND m3ua	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	ADJ	ON	2011/04/07 15:48
S9	8	DPC SAME (NI OR network ID OR network identifier OR network identification) AND m3ua	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	ADJ	ON	2011/04/07 15:49
S10	4	DPC SAME (NI OR network ID OR network identifier OR network identification) SAME rout\$3 table	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	ADJ	ON	2011/04/07 15:51
S11	10	DPC SAME (NI OR network ID OR network identifier OR network identification OR network type) AND m3ua	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	ADJ	ON	2011/04/07 15:54
S12	4	table SAME DPC SAME (NI OR network ID OR network identifier OR network identification OR network type) AND m3ua	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	ADJ	ON	2011/04/07 15:54
S13	10	DPC SAME (NI OR network ID OR network identifier OR network identification OR network type) AND m3ua	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	ADJ	ON	2011/04/07 15:55

S14	13	DPC SAME (NI OR network ID OR network identifier OR network identification OR network type OR network indicator) AND m3ua	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	ADJ	ON	2011/04/07 15:55
S15	74	route\$3 table WITH generate\$3 WITH automatic\$4	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	ADJ	ON	2011/04/07 17:44
S16	5	route\$3 table WITH generate\$3 WITH automatic\$4 AND PSTN AND IP	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	ADJ	ON	2011/04/07 17:44
S17	52	route\$3 table WITH automatic\$4 AND SCP	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	ADJ	ON	2011/04/07 17:49
S18	1	route\$3 table WITH automatic\$4 SAME SCP	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	ADJ	ON	2011/04/07 17:49
S19	64	table WITH automatic\$4 SAME SCP	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	ADJ	ON	2011/04/07 17:55

S20	498	routing table WITH populat\$3	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	ADJ	ON	2011/04/07 17:58
S21	11	routing table WITH populat\$3 WITH automatic\$4	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	ADJ	ON	2011/04/07 17:58
S22	1	("2005/0099964").URPN.	USPAT	ADJ	ON	2011/04/07 17:59
S23	1	M3UA AND MTP3 AND network select\$3 table	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	ADJ	ON	2011/04/08 11:29
S24	1	M3UA AND network select\$3 table	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	ADJ	ON	2011/04/08 11:30
S25	18	M3UA AND network NEAR2 table	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	ADJ	ON	2011/04/08 11:38

S28	31	M3UA AND network type	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	ADJ	ON	2011/04/08 12:02
S29	25	M3UA AND network type AND mtp	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	ADJ	ON	2011/04/08 12:02
S31	25	point code WITH network type	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	ADJ	ON	2011/04/08 12:11
S32	32	point code WITH network NEAR type	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	ADJ	ON	2011/04/08 12:12
S33	13	point code WITH network NEAR type AND M3UA	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	ADJ	ON	2011/04/08 12:12
S34	12	point code WITH network NEAR type AND M3UA AND mtp	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	ADJ	ON	2011/04/08 12:16

S35	2	TPC WITH DPC SAME OPC	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	ADJ	ON	2011/04/08 12:21
S36	1	TPC SAME IPC SAME DPC SAME OPC	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	ADJ	ON	2011/04/08 12:21
S37	1	TPC SAME IPC SAME DPC SAME OPC AND SCP	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	ADJ	ON	2011/04/08 12:21
S38	4	IPC SAME TPC AND M3UA AND SCP	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	ADJ	ON	2011/04/08 14:12
S39	21	IPC WITH SCP	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	ADJ	ON	2011/04/08 14:16
S40	0	IPC WITH SCP AND M3UA	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	ADJ	ON	2011/04/08 14:17

S41	0	IPC SAME SCP AND M3UA	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	ADJ	ON	2011/04/08 14:17
S42	0	real point code SAME SCP AND M3UA	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	ADJ	ON	2011/04/08 14:17
S43	54	point code SAME SCP AND M3UA	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	ADJ	ON	2011/04/08 14:17
S44	34	point code WITH SCP AND M3UA	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	ADJ	ON	2011/04/08 14:17
S50	4	external point code AND SCP	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	ADJ	ON	2011/04/08 14:20
S51	265	HLR WITH point code	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	ADJ	ON	2011/04/08 14:22

S52	2	HLR WITH IPC	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	ADJ	ON	2011/04/08 14:23
S53	101	HLR WITH DPC	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	ADJ	ON	2011/04/08 14:23
S54	10	HLR WITH DPC AND M3UA	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	ADJ	ON	2011/04/08 14:23
S55	4	OPC WITH TPC AND M3UA	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	ADJ	ON	2011/04/08 14:39
S56	25	OPC WITH MTP AND M3UA	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	ADJ	ON	2011/04/08 14:51
S57	8	OPC WITH (MTP3 OR "MTP level three" OR "MTP level 3" OR "MTP 3") AND M3UA	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	ADJ	ON	2011/04/08 14:53

S58	23	OPC SAME(MTP3 OR "MTP level three" OR "MTP level 3" OR "MTP 3") AND M3UA	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	ADJ	ON	2011/04/08 14:54
S59	91	(OPC OR point code) SAME(MTP3 OR "MTP level three" OR "MTP level 3" OR "MTP 3") AND M3UA	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	ADJ	ON	2011/04/08 14:54
S75	9	OPC WITH M3UA	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	ADJ	ON	2011/04/08 16:00
S76	15	OPC SAME M3UA	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	ADJ	ON	2011/04/08 16:25
S77	26	DPC SAME M3UA	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	ADJ	ON	2011/04/08 16:42
S78	17	DPC SAME M3UA AND opc	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	ADJ	ON	2011/04/08 16:42

S80	32	point code WITH m3ua	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	ADJ	ON	2011/04/08 16:54
S84	1	MTP WITH OPC AND M3UA WITH OPC WITH IP	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	ADJ	ON	2011/04/08 17:05
S85	3	MTP SAME OPC AND M3UA SAME OPC SAME (Internet OR IP)	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	ADJ	ON	2011/04/08 17:06
S87	15	DCM AND M3UA AND OPC WITH IP	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	ADJ	ON	2011/04/08 17:13
S90	0	m3ua WITH destination WITH ss7	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	ADJ	ON	2011/04/08 17:26
S91	0	m3ua WITH destination WITH (PSTN OR ss7)	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	ADJ	ON	2011/04/08 17:26

S92	0	m3ua WITH (OPC OR originat\$3) WITH (Internet OR IP)	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	ADJ	ON	2011/04/08 17:26
S93	7	m3ua WITH (OPC OR originat\$3) WITH (Internet OR IP)	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	ADJ	ON	2011/04/08 17:27
S98	3	(determin\$3 OR verif\$5 OR check\$3) WITH OPC SAME M3UA	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	ADJ	ON	2011/04/08 18:09
S99	3	(determin\$3 OR verif\$5 OR check\$3) WITH OPC SAME IP AND M3UA	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	ADJ	ON	2011/04/08 18:10
S101	19	asp WITH opc	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	ADJ	ON	2011/04/08 18:28
S102	0	application server WITH M3UA AND (HLR OR SCP OR SSP)	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	ADJ	ON	2011/04/08 19:21

S103	9	application server WITH M3UA AND (HLR OR SCP OR SSP)	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	ADJ	ON	2011/04/08 19:22
S104	51	application WITH M3UA AND (HLR OR SCP OR SSP)	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	ADJ	ON	2011/04/08 19:22
S107	6	ASP WITH M3uA AND ISUP WITH mtp	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	ADJ	ON	2011/04/08 19:37
S108	5	ASP WITH M3uA AND asp WITH mtp	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	ADJ	ON	2011/04/08 19:40
S109	8	AS\$1 WITH M3uA AND as\$1 WITH mtp	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	ADJ	ON	2011/04/08 19:41
S110	8	ASP SAME M3uA SAME mtp	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	ADJ	ON	2011/04/08 19:42

S111	36	ASP AND M3uA SAME mtp	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	ADJ	ON	2011/04/08 19:44
S112	1	(return\$3 OR response) WITH M3uA AND (return\$3 OR response) WITH mtp	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	ADJ	ON	2011/04/08 19:46
S113	0	response WITH (originator OR opc OR point code OR pc) WITH (acknowledg\$5 OR ack) AND m3ua	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	ADJ	ON	2011/04/08 20:02
S114	0	(originator OR opc OR point code OR pc) WITH (acknowledg\$5 OR ack) AND m3ua	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	ADJ	ON	2011/04/08 20:02
S115	0	response WITH (originator OR opc OR point code OR pc) WITH (acknowledg\$5 OR ack) AND m3ua	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	ADJ	ON	2011/04/08 20:02
S116	10	(originator OR opc OR point code OR pc) WITH (acknowledg\$5 OR ack) AND m3ua	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	ADJ	ON	2011/04/08 20:03

S117	27	ASP WITH mtp	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	ADJ	ON	2011/04/08 20:11
S118	183	(SCP OR HLR) WITH mtp	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	ADJ	ON	2011/04/08 20:14
S119	194	(SCP OR HLR) WITH mtp\$3	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	ADJ	ON	2011/04/08 20:14
S120	32	(SCP OR HLR) WITH mtp\$3 AND m3ua	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	ADJ	ON	2011/04/08 20:14
S121	18	(SG OR signal\$3 gateway) WITH (ack OR acknowledg\$5) AND M3UA	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	ADJ	ON	2011/04/08 20:54
S122	12	(SG OR signal\$3 gateway) WITH (ack OR acknowledg\$5) AND M3UA AND (OPC OR DPC OR point code)	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	ADJ	ON	2011/04/08 20:57

S126	3	(SG OR signal\$3 gateway) WITH MGC WITH (ack OR acknowledg\$4) AND m3ua	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	ADJ	ON	2011/04/08 21:17
S127	1	(SG OR signal\$3 gateway) WITH MGC WITH (ack OR acknowledg\$4) AND m3ua AND (OPC OR point code)	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	ADJ	ON	2011/04/08 21:18
S128	1	MGC WITH (ack OR acknowledg\$4) AND m3ua AND (OPC OR point code)	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	ADJ	ON	2011/04/08 21:18
S129	12	(HLR OR SCP OR MGC) WITH (ack OR acknowledg\$4) AND m3ua AND (OPC OR point code)	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	ADJ	ON	2011/04/08 21:19

EAST Search History (Interference)

<This search history is empty>

4/ 12/ 2011 10:19:38 PM

C:\Documents and Settings\jlee13\My Documents\EAST\Workspaces\10561786_2.wsp